



All Snowboards

BOARD SPECS

MODEL	SIZE	SHAPE	NOSE/TAIL WIDTH	WAIST WIDTH	SIDECUT	SIDECUT TYPE	CAMBER	STANCE RANGE CM	STANCE RANGE IN	SETBACK	CORE TYPE	CORE PROFILE	LAMINATES	RIDER WEIGHT KG	RIDER WEIGHT LBS	WIDTH	RUNNING LENGTH	CAMBER HEIGHT	NOSE/TAIL HEIGHT
MEN'S FREERIDING BOARDS																			
ULTIMATE	162	Directional	307 / 307	262	8.8 / 7.8	Progressive	STD	52-64	20.5-25.2	-15	Koroyd	STD	Diamond	70+	70+	MW	1210	10	57 / 45
	159		301 / 301	257	8.6 / 7.6			52-64	20.5-25.2	-15				65-85	65-85		MW	1180	10
PANTERA SC	166	Directional	307 / 303	258	9.6 / 7.6	Progressive	STD	52-64	20.5-25.2	-25	PowerLite Core	STD	Diamond	70+	70+	MW	1250	12	59 / 43
	163		305 / 301	257	9.5 / 7.5			52-64	20.5-25.2	-25				65-85	65-85		MW	1230	12
THE QUIVER	160	Cannon Mountain	303 / 302	255	9.3 / 7.3	Progressive	CAM-OUT	50-62	19.7-24.4	-25	PowerCore II	STD	Bi-Lite	60+	60-80	MW	1210	8	55 / 39
	160		302 / 294	256	8.2 / 7.4			54-66	21.3-26.0	-25				60+	60+		MW	1150	8
PANTERA	154	Directional	340 / 291	280	11.4 / 8.3	Progressive	STD	52-64	20.5-25.2	-40	PowerCore II	STD	Bi-Lite	50+	50+	MW	1056	5	82 / 8
	166		307 / 303	258	9.6 / 7.6			52-64	20.5-25.2	-25				60+	70+		MW	1250	12
PANTERA W	163	Directional	305 / 301	257	9.5 / 7.5	Progressive	STD	52-64	20.5-25.2	-25	PowerLite Core	Reflex	Tri-Lite	65-85	65-85	MW	1230	12	57 / 41
	160		303 / 300	255	9.3 / 7.3			50-62	19.7-24.4	-25				60-80	60-80		MW	1210	10
SLASH	178	Tapered	323 / 319	270	10.5 / 8.4	Progressive	STD	52-64	20.5-25.2	-25	PowerLite Core	Reflex	Tri-Lite	75+	75+	W	1280	12	59 / 43
	166		321 / 317	271	9.8 / 7.8			52-64	20.5-25.2	-25				75+	75+		MW	1250	12
MAGNUM	163	Directional	319 / 315	271	9.5 / 7.5	Progressive	FLATOUT	52-64	20.5-25.2	-25	PowerLite Core	Reflex	Bi-Lite	65-85	65-85	MW	1230	12	57 / 41
	166		308 / 299	264	7.8 / 7.0			54-66	21.3-26.0	-25				70+	70+		MW	1100	0
38 SPECIAL	161	Directional	304 / 295	261	7.7 / 6.9	Progressive	ROOF CHOP	54-66	21.3-26.0	-25	PowerLite Core	STD	Bi-Lite	70+	70+	W	1280	5	59 / 51
	157		300 / 291	257	7.6 / 6.7			52-64	20.5-25.2	-25				70+	70+		MW	1080	0
DOPPLEGANGER	164	Split	302 / 293	256	8.2 / 7.4	Progressive	CAM-OUT	50.8 - 66.1	20 - 26	-25	PowerLite Core	STD	Bi-Lite	70+	70+	MW	1140	5	56 / 25
	160		304 / 295	257	8.5 / 7.7			50.8 - 66.1	20 - 26	-25				60+	60+		MW	1100	5
NOMAD	165	Split	299 / 299	260	10.0 / 8.0 / 10.0	Radial	Flat-Out	50.8 - 66.1	20 - 26	-25	Powercore	STD	Bi-Lite	70+	70+	MW	1130	0	56 / 51
	161		297 / 297	258	9.5 / 7.5 / 9.5			50.8 - 66.1	20 - 26	-25				60+	60+		MW	1090	0
156	291 / 291	252	9.0 / 7.0 / 9.0	48.4 - 64.6	19 - 25	-25	50+	50+	M	1040	0	54 / 50							
MEN'S ALL TERRAIN BOARDS																			
BLACKLIGHT	162	Directional	302 / 302	256	8.4 / 7.0 / 5.1 / 7.3	Progressive	STD	52-64	20.5-25.2	-15	PowerLite Core	STD	Diamond	70+	155+	MW	1180	10	63 / 51
	159		300 / 300	254	8.2 / 6.8 / 5.0 / 7.1			52-64	20.5-25.2	-15				65-85	145-185		MW	1160	10
ÜBERSPOON	156	All-Mtn Twin	298 / 298	252	8.1 / 6.6 / 4.8 / 7.0	Dual	ROOFCHOP	50-62	19.7-24.4	-15	PowerCore II	Reflex	Tri-Lite	55-75	120-165	W	1070	10	59 / 47
	162		306 / 306	260	9.2 / 5.9 / 9.2			48-64	18.9-25.2	0				70+	155+		MW	1140	5
PRO ONE OFF ELIAS ELHARDT	159	Überspoon	302 / 302	256	8.8 / 5.3 / 8.8	Degressive	ROOFCHOP	48-64	18.9-25.2	0	PowerCore II	Reflex	Tri-Lite	65-85	145-185	MW	1040	5	53 / 53
	159		295 / 295	258	8.6 / 5.1 / 8.6			48-64	18.9-25.2	0				55-75	120-165		MW	1060	5
DIABLO	166,6	Asym Twin	304 / 304	250	9.0 / 5.6 - 7.0 / 4.1	Dual	CAM-OUT	48-64	18.9-25.2	0	PowerCore II	Reflex	Bi-Lite	70+	145+	MW	1150	7	55 / 55
	160,6		299 / 299	250	9.0 / 5.6 - 7.0 / 4.1			48-64	18.9-25.2	0				65-85	145-185		MW	1090	6
PYRO TEAM	156	Asym Twin	292 / 292	250	9.0 / 5.6 - 7.0 / 4.1	Dual Deg.	CAM-OUT	48-64	18.9-25.2	0	PowerCore II	Reflex	Bi-Lite	60+	130+	M	1090	6	45 / 45
	159		295 / 295	254	12.8 / 8.1 / 12.8			52-64	20.5-25.2	-15				70+	155+		M	1210	10
TEAM W	162	Directional Twin	295 / 295	250	11.3 / 7.3 / 11.3	Dual Degressive	STD	52-64	20.5-25.2	-15	PowerLite Core	Reflex	Bi-Lite	65-85	145-185	MW	1180	12	53 / 49
	157		293 / 293	250	11.3 / 7.3 / 11.3			50-62	19.7-24.4	-15				60-80	130-175		MW	1170	8
TEAM GULLWING	155	Directional Twin	291 / 291	248	11.0 / 7.2 / 11.0	Dual Degressive	STD	50-62	19.7-24.4	-15	PowerLite Core	Reflex	Bi-Lite	55-75	120-165	W	1160	6	49 / 45
	152		289 / 289	246	10.7 / 6.8 / 10.7			48-60	18.9-23.6	-15				50-70	110-155		MW	1140	5
TEAM W GULLWING	162	Directional Twin	311 / 311	270	12.8 / 8.1 / 12.8	Dual Degressive	GULLWING	52-64	20.5-25.2	-15	PowerLite Core	Reflex	Bi-Lite	70+	155+	MW	1210	12	53 / 49
	159		309 / 309	266	11.7 / 7.3 / 11.7			52-64	20.5-25.2	-15				65-85	145-185		MW	1180	12
TEAM EXPOSURE GULLWING	157	Directional Twin	307 / 307	264	11.3 / 7.3 / 11.3	Dual Degressive	GULLWING	50-62	19.7-24.4	-15	PowerLite Core	Reflex	Bi-Lite	60-80	130-175	M	1170	11	51 / 47
	162		295 / 295	254	12.8 / 8.1 / 12.8			52-64	20.5-25.2	-15				70+	155+		M	1210	3 / 5 / 3
TEAM W GULLWING	159	Directional Twin	295 / 295	252	11.7 / 7.3 / 11.7	Dual Degressive	GULLWING	52-64	20.5-25.2	-15	PowerLite Core	Reflex	Bi-Lite	65-85	145-185	MW	1180	3 / 5 / 3	53 / 49
	157		293 / 293	250	11.3 / 7.3 / 11.3			50-62	19.7-24.4	-15				60-80	130-175		MW	1170	11
TEAM EXPOSURE W GULLWING	155	Directional Twin	291 / 291	248	11.0 / 7.2 / 11.0	Dual Degressive	GULLWING	50-62	19.7-24.4	-15	PowerLite Core	Reflex	Bi-Lite	55-75	120-165	W	1160	3 / 5 / 3	53 / 49
	152		289 / 289	246	10.7 / 6.8 / 10.7			48-60	18.9-23.6	-15				50-70	110-155		MW	1140	3 / 5 / 3
ADDICT	165	Directional	311 / 311	270	12.8 / 8.1 / 12.8	Dual Degressive	GULLWING	52-64	20.5-25.2	-15	PowerLite Core	Reflex	Bi-Lite	70+	155+	MW	1210	12	53 / 49
	159		309 / 309	266	11.7 / 7.3 / 11.7			52-64	20.5-25.2	-15				65-85	145-185		MW	1180	12
CINEMA	157	Twin	307 / 307	264	11.3 / 7.3 / 11.3	Radial	ROOF CHOP	50-62	19.7-24.4	-15	PowerCore II	STD	Bi-Lite	75+	165+	MW	1240	3 / 5 / 3	53 / 49
	164		304 / 304	259	8.3			52-64	20.5-25.2	-15				70+	155+		MW	1180	5
CINEMA W	161	Twin	302 / 302	258	8.0	Radial	GULLWING	52-64	20.5-25.2	-15	PowerCore II	STD	Bi-Lite	70+	155+	MW	1150	5	63 / 59
	158		300 / 300	255	7.7			50-62	19.7-24.4	-15				65+	145+		MW	1140	5
CINEMA	155	Twin	298 / 298	252	7.4	Radial	GULLWING	50-62	19.7-24.4	-15	PowerCore II	STD	Bi-Lite	55-75	120-165	MW	1130	5	55 / 51
	152		296 / 296	249	7.1			48-60	18.9-23.6	-15				50-70	110-155		MW	1120	5
CINEMA W	159	Twin	302 / 302	256	7.8	Radial	GULLWING	52-64	20.5-25.2	0	PowerCore II	STD	Bi-Lite	65+	165+	MW	1170	3 / 5 / 3	53 / 53
	156		300 / 300	254	7.6			50-62	19.7-24.4	0				55-75	120-165		MW	1140	3 / 5 / 3
CINEMA W	153	Twin	298 / 298	254	7.4	Radial	GULLWING	50-62	19.7-24.4	0	PowerCore II	STD	Bi-Lite	50-70	110-155	MW	1100	3 / 5 / 3	53 / 53
	151		296 / 296	253	7.2			48-60	18.9-23.6	0				45-65	110-155		MW	1090	3 / 5 / 3
CINEMA W	149	Twin	294 / 294	251	7.0	Radial	GULLWING	48-60	18.9-23.6	0	PowerCore II	STD	Bi-Lite	50-70	100-145	W	1070	3 / 5 / 3	53 / 53
	162		314 / 314	267	8.0			52-64	20.5-25.2	0				70+	155+		MW	1200	3.5 / 5 / 3.5
CINEMA W	159	Twin	312 / 312	266	7.8	Radial	GULLWING	52-64	20.5-25.2	0	PowerCore II	STD	Bi-Lite	65+	165+	MW	1170	3 / 5 / 3	53 / 53
	156		310 / 310	264	7.6			50-62	19.7-24.4	0				55-75	120-165		MW	1140	3 / 5 / 3
153	308 / 308	264	7.4	50-62	19.7-24.4	0	50-70	110-155	MW	1110	3 / 5 / 3	53 / 53							

MODEL	SIZE	SHAPE	NOSE/TAIL WIDTH	WAIST WIDTH	SIDECUT	SIDECUT TYPE	CAMBER	STANCE RANGE CM	STANCE RANGE IN	SETBACK	CORE TYPE	CORE PROFILE	LAMINATES	RIDER WEIGHT KG	RIDER WEIGHT LBS	WIDTH	RUNNING LENGTH	CAMBER HEIGHT	NOSE/TAIL HEIGHT
PRIME	162	Directional	304 / 304	258	8.4	Radial	ZERO	52-64	20.5-25.2	-15	PowerCore	STD	Bi-Lite	70+	155+	MW	1210	0	54 / 49
	158		302 / 302	256	7.8			52-64	20.5-25.2	-15				65-85	145-185		1170	0	54 / 49
	155		300 / 300	254	7.6			50-62	19.7-24.4	-15				55-75	120-165		1150	0	51 / 47
	152		298 / 298	252	7.2			48-60	18.9-23.6	-15				50-70	110-155		1120	0	51 / 47
	165		320 / 320	274	8.6			52-64	20.5-25.2	-15				75+	165+		1230	0	56 / 51
PRIME W	163	Directional	318 / 318	272	8.4	Radial	ZERO	52-64	20.5-25.2	-15	PowerCore	STD	Bi-Lite	70+	155+	W	1210	5	56 / 51
	159		316 / 316	270	7.8			52-64	20.5-25.2	-15				65-85	145-185		1170	0	56 / 51
	156		314 / 314	268	7.6			50-62	19.7-24.4	-15				60-80	130-175		1150	0	54 / 49
MEN'S FREESTYLE BOARDS																			
EERO PRO MODEL	158	Pro Model	292 / 292	250	7.5 / 8.9 / 7.5	Dual Progressive	LOWRIDER	54-66	21.3-26.0	0	PowerLite Core	STD	Tri-Lite	65+	145+	M	1170	8	51 / 51
	155		289 / 289	248	8.3 / 8.8 / 7.5			54-66	21.3-26.0	-10				55-75	120-165		1170	8	45 / 45
SVEN THORGRN PRO ONE-OFF GLORY STOMPER	155	Eero 14/15 Twin	289 / 289	248	8.3 / 8.8 / 7.5	Tri-Progressive	LOWRIDER	54-66	21.3-26.0	-10	PowerLite Core	STD	Tri-Lite	65+	145+	M	1170	8	51 / 51
	158		298 / 298	258	9.0 / 6.7 / 9.0			52-64	20.5-25.2	0				65+	145+		1060	0	56 / 56
	156		296 / 296	256	9.0 / 6.1 / 9.0			50-62	19.7-24.4	0				60-80	130-175		1040	0	56 / 56
	154		294 / 294	254	9.0 / 5.6 / 9.0			50-62	19.7-24.4	0				55-75	120-165		1020	0	56 / 56
CHUCK	152	Twin	292 / 292	252	9.0 / 5.1 / 9.0	Radial	LOWRIDER	48-60	18.9-23.6	0	PowerCore II	Whiplash	Tri-Lite	60-80	130-175	M	1150	5	50 / 50
	157		294 / 294	250	8.0			50-62	19.7-24.4	0				55-75	120-165		1120	5	50 / 50
	154		290 / 290	247	7.8			50-62	19.7-24.4	0				50-70	110-155		1090	5	50 / 50
	151		288 / 288	246	7.5			50-62	19.7-24.4	0				50-70	110-155		1090	5	50 / 50
VIKING ONE-OFF BAD SEED	154	Chuck Twin	290 / 290	247	7.8	Radial	LOWRIDER	50-62	19.7-24.4	0	PowerCore II	Whiplash	Tri-Lite	55+	120+	M	1120	5	50 / 50
	155		296	254	9.0 / 5.6 / 9.0			50-62	19.7-24.4	0				60+	130+		1140	5	48 / 48
PRO ONE OFF JUSTIN BENNEE T1	152	Team Twin	289 / 289	246	10.7 / 6.8 / 10.7	Dual Degressive	STD	48-60	18.9-23.6	-15	PowerLite	Reflex	Bi-Lite	50+	110+	M	1140	5	47 / 43
	159		294 / 294	252	8.5			52-64	20.5-25.2	0				60-80	130-175		1170	0	53 / 53
	156		293 / 293	250	8.2			50-62	19.7-24.4	0				55-75	120-165		1160	0	49 / 49
	153		289 / 289	246	7.9			50-62	19.7-24.4	0				50-70	110-155		1140	0	47 / 47
T1 W	149	Twin	287 / 287	244	7.5	Radial	ZERO	48-60	18.9-23.6	0	PowerCore II	Whiplash	Bi-Lite	45-65	100-145	W	1110	0	45 / 45
	159		308 / 308	266	8.5			52-64	20.5-25.2	0				60-80	130-175		1170	0	53 / 53
	156		307 / 307	264	8.2			50-62	19.7-24.4	0				55-75	120-165		1160	0	49 / 49
	153		305 / 305	262	7.9			50-62	19.7-24.4	0				50-70	110-155		1140	0	47 / 47
GOOD TIMES	157	Twin	295 / 295	254	8.8	Radial	FLATOUT	50-62	19.7-24.4	0	PowerCore II	Whiplash	Bi-Lite	65+	145+	M	1100	0	45 / 45
	155		293 / 293	252	8.6			50-62	19.7-24.4	0				60-80	130-175		1080	0	45 / 45
GOOD TIMES W	152	Twin	289 / 289	248	8.0	Radial	FLATOUT	48-60	18.9-23.6	0	PowerCore II	Whiplash	Bi-Lite	55-75	120-165	W	1070	0	45 / 45
	148		287 / 287	247	8.3			48-60	18.9-23.6	0				50-70	110-155		1040	0	45 / 43
	157		305 / 305	264	8.8			50-62	19.7-24.4	0				65+	145+		1100	0	45 / 45
	155		303 / 303	262	8.6			50-62	19.7-24.4	0				60-80	55+		1080	0	45 / 45
TAXWOOD/HOBUSH ONE OFF CREATURE	152	Good Times Twin	299 / 299	258	8.3	Dual Degressive	FLATOUT	48-60	18.9-23.6	0	PowerCore	Whiplash	Bi-Lite	55+	120+	M	1070	0	45 / 45
	156		291 / 291	250	10.0 / 7.8 / 10.0			50-62	19.7-24.4	0				65+	145+		1090	6	45 / 45
	153		289 / 289	248	9.8 / 7.5 / 9.8			50-62	19.7-24.4	0				55+	120+		1060	5	45 / 45
	151		287 / 287	246	9.6 / 7.2 / 9.6			48-60	18.9-23.6	0				50-70	110-155		1100	5	45 / 45
STANCE	148	Twin	285 / 285	244	9.4 / 6.9 / 9.4	Radial	FLATOUT	48-60	18.9-23.6	0	PowerCore	STD	Bi-Lite	50-70	110-155	M	1020	5	45 / 45
	159		295 / 295	253	8.5			52-64	20.5-25.2	0				65+	145+		1100	0	50 / 50
	156		293 / 293	250	8.2			50-62	19.7-24.4	0				55+	120+		1080	0	47 / 47
	153		289 / 289	246	7.9			50-62	19.7-24.4	0				50-70	110-155		1060	0	45 / 45
STANCE W	149	Twin	287 / 287	244	7.5	Radial	FLATOUT	48-60	18.9-23.6	0	PowerCore	STD	Bi-Lite	50-70	110-155	W	1020	0	45 / 45
	159		309 / 309	267	8.5			52-64	20.5-25.2	0				65+	145+		1100	0	50 / 50
	156		307 / 307	264	8.2			50-62	19.7-24.4	0				55+	120+		1080	0	47 / 47
	153		301 / 301	258	7.9			50-62	19.7-24.4	0				50-70	110-155		1060	0	45 / 45
WOMEN'S FREERIDING BOARDS																			
VICTORIA	155	Directional	287 / 287	244	8.5 / 7.5	Progressive	STD	46-58	18.1-22.8	-15	PowerLite Core	Reflex	Diamond	45-65	100-145	M	1160	5	53 / 41
	152		285 / 285	242	8.3 / 8.3			46-58	18.1-22.8	-15				45-65	100-145		1140	5	51 / 39
SLASH WOMENS VOLTA	149	Tapered Split	281 / 281	238	8.1 / 7.1	Flat-Out	Flat-Out	46-58	18.1-22.8	-15	PowerLite Core	STD	Bi-Lite	50+	110+	M	1120	5	49 / 37
	151		284 / 275	243	7.3 / 6.4			48-60	18.9-23.6	-20				50+	110+		1020	0	59 / 36
	151		281 / 281	242	8.5 / 6.5 / 8.5			48-60	18.9-23.6	-25				50+	110+		1020	0	52 / 47
WOMEN'S ALL TERRAIN BOARDS																			
SWEET LEAF FATE	149	Überspoon Directional Twin	290 / 290	244	6.9 / 4.8 / 6.9	Dual Degressive	ROOF CHOP	44-60	17.3-23.6	0	PowerCore II	Reflex	Tri-Lite	50+	110+	M	950	5	51 / 51
	153		290 / 290	242	8.0 / 7.0 / 8.0			46-58	18.1-22.8	-15				50+	110+		1150	5	49 / 45
	150		288 / 288	241	7.8 / 6.8 / 7.8			46-58	18.1-22.8	-15				45-65	100-145		1120	5	49 / 45
	147		286 / 286	239	7.6 / 6.4 / 7.6			42-54	16.5-21.3	-15				-65	-145		1090	5	47 / 43
FATE ZERO	144	Directional Twin	282 / 282	242	7.4 / 6.1 / 7.4	Dual Degressive	ZERO	42-54	16.5-21.3	-15	PowerLite Core	Reflex	Bi-Lite	50-70	110-155	M	1060	5	47 / 43
	156		292 / 292	243	8.2 / 7.2 / 8.2			46-58	18.1-22.8	-15				55+	120+		1180	0	49 / 45
	153		290 / 290	242	8.0 / 7.0 / 8.0			46-58	18.1-22.8	-15				50-70	110-155		1150	0	49 / 45
	150		288 / 288	241	7.8 / 6.8 / 7.8			46-58	18.1-22.8	-15				45-65	100-145		1120	0	49 / 45
MYSTIQUE	147	Directional Twin	286 / 286	239	7.6 / 6.4 / 7.6	Radial	GULLWING	42-54	16.5-21.3	-15	PowerCore II	STD	Bi-Lite	-65	-145	M	1090	0	47 / 43
	144		282 / 282	236	7.4 / 6.1 / 7.4			46-58	18.1-22.8	-15				55+	120+		1150	0	47 / 43
	152		288 / 288	242	7.2			46-58	18.1-22.8	-15				55+	120+		1120	3 / 5 / 3	51 / 47
	149		284 / 284	238	6.8			44-56	17.3-22.0	-15				50-70	110-155		1090	3 / 5 / 3	51 / 47
LECTRA	146	Directional	280 / 280	234	6.5	Radial	ZERO	42-54	16.5-21.3	-15	PowerCore	STD	Bi-Lite	45-65	100-145	M	1070	3 / 5 / 3	49 / 45
	142		276 / 276	230	6.2			42-54	16.5-21.3	-15				40-60	90-130		1040	3 / 5 / 3	47 / 43
	155		292 / 292	242	7.6			46-58	18.1-22.8	-15				55+	120+		1150	0	51 / 47
	152		288 / 288	240	7.2			46-58	18.1-22.8	-15				55+	120+		1120	0	51 / 47
	149		284 / 284	238	6.8			42-54	16.5-21.3	-15				50-70	110-155		1090	0	51 / 47
	146		280 / 280	234	6.5			42-54	16.5-21.3	-15				45-65	100-145		1070	0	50 / 45
142	276 / 276	230	6.2	42-54	16.5-21.3	-15	-60	-130	1040	0	48 / 43								



All Snowboards

BOARD SPECS & TECH

MODEL	SIZE	SHAPE	NOSE/TAIL WIDTH	WAIST WIDTH	SIDECUT	SIDECUT TYPE	CAMBER	STANCE RANGE CM	STANCE RANGE IN	SETBACK	CORE TYPE	CORE PROFILE	LAMINATES	RIDER WEIGHT KG	RIDER WEIGHT LBS	WIDTH	RUNNING LENGTH	CAMBER HEIGHT	NOSE/TAIL HEIGHT
WOMEN'S FREESTYLE BOARDS																			
SPELL	151	Twin	286 / 286	240	7.2 / 6.0 / 7.2	Radial	FLAT-OUT	46-58	18.1-22.8	0	PowerCore II	Whiplash	Bi-Lite	50-70	110-155	N	980	0	59 / 59
	148		282 / 282	236	7.0 / 5.5 / 7.0			46-58	18.1-22.8	0				45-65	100-145		960	0	56 / 56
	145		278 / 278	234	7.0 / 5.5 / 7.0			44-56	17.3-22.0	0				-65	-145		940	0	54 / 54
MERCY	142	Twin	274 / 274	232	7.0 / 5.5 / 7.0	Dual Degressive	CAM-OUT	42-54	16.5-21.3	0	PowerCore II	STD	Bi-Lite	-65	-145	N	920	0	54 / 54
	149		279 / 279	238	9.4 / 6.9 / 9.4			46-58	18.1-22.8	0				50-70	110-155		1020	5	47 / 47
	146		276 / 276	234	8.9 / 6.5 / 8.9			44-56	17.3-22.0	0				45-65	100-145		990	5	47 / 47
ANNA GASSER PRO MODEL FIRECRACKER	142	T1.5	274 / 274	232	8.5 / 6.1 / 8.5	Radial	LOWRIDER	42-54	16.5-21.3	0	PowerCore II	STD	Bi-Lite	-65	-145	M	960	5	45 / 45
	149		287 / 287	244	7.5			48-60	18.9-23.6	0				50-70	110-155		1110	5	45 / 45
	152		286 / 286	240	7.1			46-58	18.1-22.8	0				55+	120+		1000	0	56 / 56
ANA RUMIHA ONE-OFF	149	Firecracker	284 / 284	238	6.9	Radial	FLAT-OUT	42-54	16.5-21.3	0	PowerCore	STD	Bi-Lite	50-70	110-155	N	980	0	54 / 54
	146		280 / 280	234	6.6			42-54	16.5-21.3	0				45-65	100-145		960	0	52 / 52
	142		276 / 276	230	6.3			42-54	16.5-21.3	0				-60	-130		940	0	48 / 48
149	284 / 284	238	6.9	42-54	16.5-21.3	0	55+	120+	980	0	54 / 54								
YOUTH BOARDS																			
DEMAND	152	Youth Twin	291 / 291	251	8.4	Radial	GULLWING	48-60	18.9-23.6	0	PowerCore	STD	Bi-Lite	55+	120+	MW	1140	2.5-5-2.5	47 / 47
	149		289 / 289	249	8.0			48-60	18.9-23.6	0				50+	110+		1110	0	47 / 47
	146		285 / 285	246	7.6			46-58	18.1-22.8	0				45-65	100-145		1080	0	47 / 47
	142		283 / 283	244	7.1			46-58	18.1-22.8	0				40-60	90-130		1040	0	47 / 47
	138		281 / 281	243	6.8			44-56	17.3-22.0	0				35-55	75-120		1000	0	47 / 47
DESIRE	149	Youth Twin	283 / 283	243	8.0	Radial	GULLWING	42-54	16.5-21.3	0	PowerCore	STD	Bi-Lite	45+	100+	N	1110	2.5-5-2.5	47 / 47
	146		273 / 273	234	7.6			42-54	16.5-21.3	0				45-65	100-145		1080	0	47 / 47
	142		269 / 269	230	7.1			42-54	16.5-21.3	0				40-60	90-130		1040	0	47 / 47
	138		263 / 263	225	6.8			42-54	16.5-21.3	0				35-55	75-120		1000	0	47 / 47
	146		285 / 285	242	7.3			46-58	18.1-22.8	0				45-65	100-145		1050	0	48 / 48
MINI PRO MARCUS KLEVELAND	142	Twin	281 / 281	239	7.2	Radial	ZERO	46-58	18.1-22.8	0	PowerCore	STD	Bi-Lite	40-60	90-130	M	1040	0	45 / 45
	149		299 / 299	256	7.5			48-60	18.9-23.6	0				50+	110+		1120	0	48 / 48
	146		297 / 297	254	7.3			46-58	18.1-22.8	0				45-65	100-145		1050	0	48 / 48
RIPPER WIDE	142	Youth Twin	293 / 293	252	7.2	Radial	ZERO	46-58	18.1-22.8	0	PowerCore	STD	Bi-Lite	40-60	90-130	W	1040	0	45 / 45
	149		287 / 287	244	7.5			48-60	18.9-23.6	0				50+	110+		1120	0	48 / 48
	146		285 / 285	242	7.3			46-58	18.1-22.8	0				45-65	100-145		1050	0	48 / 48
	142		281 / 281	239	7.2			46-58	18.1-22.8	0				40-60	90-130		1040	0	45 / 45
	137		271 / 271	232	7.1			44-56	17.3-22.0	0				35-55	75-120		1000	0	43 / 43
RIPPER	132	Twin	261 / 261	224	7.0	Radial	ZERO	42-54	16.5-21.3	0	PowerCore	STD	Bi-Lite	30-50	65-110	M	960	0	42 / 42
	126		251 / 251	218	6.9			42-50	16.5-19.7	0				25-45	55-100		900	0	42 / 42
	121		246 / 246	216	6.9			40-48	15.8-18.9	0				20-40	45-90		850	0	42 / 42
	116		241 / 241	214	6.8			38-46	15.0-18.1	0				20-40	45-90		800	0	42 / 42
	106		231 / 231	210	6.7			34-42	13.4-16.5	0				-35	-75		700	0	42 / 42
	96		221 / 221	205	6.6			30-38	11.8-15.0	0				-30	-65		600	0	42 / 42